Title: DESIGN AND USE OF ADVANCED ZINC CHELATING PEPTIDES TO REGULATE MATRIX METALLOPROTEINASES

IN THE CLAIMS

Please amend the claims as shown in the following detailed claim listing.

- 1. (Original) An MMP regulator comprising a zinc chelator and a TIMP-derived peptide.
- (Original) The regulator of Claim 1 wherein the zinc chelator is selected from the group consisting of EDTA, EGTA, DTPA, CDTA, HEDTA, NTA, IDA, PSDE, AFTA, citric acid, salicylic acid, and malic acid.
- 3. (Original) The regulator of Claim 2 wherein the zinc chelator is IDA, PSDE, or AFTA.
- 4. (Original) The regulator of Claim 1 wherein the zinc chelator is selected from the group consisting of SEQ ID Nos. 9 and 10.
- 5. (Original) The regulator of Claim 1 wherein the peptide comprises SEQ ID No. 1-3.
- 6. (Currently Amended) The regulator of Claim 4 wherein the peptide is selected from the group consisting of SEQ ID Nos. 4, 5, 6, 7, and 8 and +1.
- 7. (Original) The regulator of Claim 1 wherein the peptide contains at least one cysteine residue.
- 8. (Original) A method of treating chronic or acute wounds comprising administering an MMP regulator comprising a zinc chelator and a TIMP-derived peptide.
- (Original) The method of Claim 8 wherein the zinc chelator is selected from the group consisting of EDTA, EGTA, DTPA, CDTA, HEDTA, NTA, IDA, PSDE, AFTA, citric acid, salicylic acid, and malic acid.
- 10. (Original) The method of Claim 9 wherein the zinc chelator is IDA, PSDE, or AFTA.

Page 4 Dkt: 1443.108US1

Serial Number: 09/753,139 Dkt: 14
Filing Date: December 29, 2000
Title: DESIGN AND USE OF ADVANCED ZINC CHELATING PEPTIDES TO REGULATE MATRIX METALLOPROTEINASES
Title: DESIGN AND USE OF ADVANCED ZINC CHELATING PEPTIDES TO REGULATE MATRIX METALLOPROTEINASES

- 11. (Original) The method of Claim 8 wherein the zinc chelator is selected from the group consisting of SEO ID Nos. 9 and 10.
- 12. (Original) The method of Claim 8 wherein the peptide comprises SEQ ID No. 1-3.
- 13. (Original) The method of Claim 12 wherein the peptide is selected from the group consisting of SEQ ID Nos. 4, 5, 6, 7, 8 and 11.
- 14. (original) The method of Claim 8 wherein the peptide contains at least one cysteine residue.
- 15. (Original) A composition comprising a pharmaceutically acceptable carrier and an MMP regulator, wherein the MMP regulator comprises a zinc chelator and a TIMP-derived peptide.
- 16. (Original) The composition of Claim 15, wherein the composition is in topical form.
- 17. (Original) The composition of Claim 15, wherein the composition is in the form of a lotion, ointment, cream, gel, stick, spray, paste, mousse, solution, dispersion, emulsion, solid, and liposome.
- 18. (Original) The regulator of Claim 15 wherein the zinc chelator is selected from the group consisting of EDTA, EGTA, DTPA, CDTA, HEDTA, NTA, IDA, PSDE, AFTA, citric acid, salicylic acid, and malic acid.
- 19. (Original) The regulator of Claim 18 wherein the zinc chelator is IDA, PSDE, or AFTA.
- 20. (Original) The regulator of Claim 15 wherein the zinc chelator is selected from the group consisting of SEQ ID Nos. 9 and 10.
- 21. (Original) The regulator of Claim 15 wherein the peptide comprises SEQ ID No. 1-3.

AMENDMENT AND RESPONSE UNDER 37 C.F.R. § 1.111

Serial Number: 09/753,139 Filing Date: December 29, 2000

Filing Date: December 29, 2000

Title: DESIGN AND USE OF ADVANCED ZINC CHELATING PEPTIDES TO REGULATE MATRIX METALLOPROTEINASES

22. (Currently Amended) The regulator of Claim 24 20 wherein the peptide is selected from the group consisting of SEQ ID Nos. 4, 5, 6, 7, and 8 and 11.

Page 5 Dkt: 1443.108US1

23. (Original) The regulator of Claim 15 wherein the peptide contains at least one cysteine residue.